

**KOKOMO
FENCE MACHINE CO.**

Manufacturers of
The

KOKOMO ORNAMENTAL FENCE.

Kokomo, Ind.

*H. C. Bauer
Engraving Co.
Indianapolis*



ILLUSTRATED CATALOGUE OF ORNAMENTAL FENCE

Manufactured by

Kokomo Fence Machine Co.

Kokomo, Indiana, U. S. A.

INTRODUCTORY



RESIDENCE OF G. BULLE, HAVANA, CUBA

We are presenting you our illustrated Catalogue of Ornamental Fencing, with the illustrations and information arranged in such a manner that you can easily arrive at the height, weight, etc., of our fencing.

If you have ever purchased Kokomo Ornamental Fencing, it will be useless for us to make any statement other than to say we are maintaining our high standard of quality and excellency. If you are contemplating the purchase of an ornamental fence, don't make the fatal mistake of purchasing some other make, when you can get a Kokomo Ornamental Fence at a price so low, you will be surprised when you consider the value you receive.

KOKOMO FENCE MACHINE CO., Kokomo, Ind., U. S. A.

Kokomo Ornamental Fence

Kinds of Fence

We manufacture two kinds of complete ornamental fencing, i. e., our Standard and Junior Fencing, our Junior Fence being the equal of any ornamental fencing made today, while our Standard Fence is superior to any other make of ornamental fencing on account of its being made of heavier material. In both of these fences we furnish our regular make of posts with cast iron bases, the only difference being in the size of the tubing used in the line posts and line railing. Either our Standard or Junior styles of complete fencing can be made with the spear point or ball ornaments with the braided wire, or with the malleable iron cresting. Below we give you the size of material used.

Specifications Standard Fence

Corner Posts	$1\frac{3}{4}$	Inch Steel Tubing
End Posts	$1\frac{3}{4}$	" " "
Gate Posts	$1\frac{3}{4}$	" " "
Line Posts	$1\frac{3}{4}$	" " "
Line Railing	$1\frac{3}{8}$	" " "

Specifications Junior Fence

Corner Posts	$1\frac{3}{4}$	Inch Steel Tubing
End Posts	$1\frac{3}{4}$	" " "
Gate Posts	$1\frac{3}{4}$	" " "
Line Posts	$1\frac{3}{8}$	" " "
Line Railing	$1\frac{1}{8}$	" " "

We can furnish $2\frac{1}{2}$ inch Corner, End and Gate Posts for our Standard Fence only, and will be glad to quote prices on same if you desire them.

Either our Standard or Junior Fences can be fitted with Style A, B, C, E, F, G and H Fabric. This gives you a selection of 44 different styles of complete fencing, and 7 different styles of fabric for erection on wood posts.

MATERIAL


The material used in the construction of our ornamental Fencing is the best that men and machinery can make and that money can buy, every particle of the material being subjected to the most critical and painstaking inspection to see that it is worthy of being used in our Kokomo Ornamental Fencing, on which we have built up a reputation that has enabled us to become the largest manufacturers of Ornamental Fencing in the United States.

WORKMANSHIP

It is just as difficult to fit an Ornamental Fence to a certain piece of ground as it is to fit a suit of clothes to a man's body. Hence it is necessary to employ mechanics who are skilled in this particular line of work, and we desire to say to you that the different parts of our fencing fit and join together as perfectly as though they were oiled, because our workmanship is unexcelled.

CONSTRUCTION

In the construction of our Ornamental Fencing we first considered the post and the necessity of securing lasting qualities. Also that the posts must be held in perfect alignment. This result we secured by our manner of attaching the line railing to the corner, end and gate posts, as well as line posts, and also the grade and quality of our connections, which also serve as ornaments.



POSTS

It is the post that gives life to your fence, and realizing after years of experimenting that cast iron was the only metal you could place in the ground that would resist rust and the action of the elements at the surface of the ground we began the manufacture of the post shown at the left of this page.

The upper portion of this post is made of steel tubing and upon the end of this steel tubing is wrought our heavy cast iron base, which extends up and around the tubing in such a manner that a solid ring of cast metal is interposed between the ground and steel tubing which makes it impossible for the tubing to come in contact with the ground and as the joint where the cast iron base and tubing come together is absolutely water-proof we can guarantee our posts for from 50 to 75 years.

Notice the ring of cast metal at the base of the post. That is the secret of their durability.

Posts are spaced seven feet apart.

FABRICS

We manufacture seven different designs of fabrics so that you have a selection from which the most exacting person can make a satisfactory choice. Our fabrics are all made of double galvanized wire that we know is good, because we make it ourselves. Our pickets all run the full width of the fence and every design or style is fitted with our patent interlocked top which makes it impossible to bend the top of the fabric out of alignment and also owing to the peculiar manner in which the pickets are interwoven the fabric will not sag between the posts.

SPECIFICATIONS OF FABRICS

Styles A, B, E and F.

Pickets 2 No. 11 Wires Twisted.

Cables 2 No. 12 Wires Twisted.

Style G.

Pickets 1 No. 9 Wire Single.

Cables 2 No. 12 Wires Twisted.

Styles C and H.

Pickets 2 No. 13 Wires Twisted.

Cables 2 No. 12½ Wires Twisted.

LINE RAILING

Our line railing as well as tubing in the posts are all made of the best Seamless Steel Tubing manufactured, and when put into our Kokomo Ornamental Fencing it is coupled up in full lengths and securely attached to the corner end and gate posts, passing through the ornaments of the line posts, so that the line railing and posts together form a perfect frame, to which our fabrics are attached.

ORNAMENTS AND CONNECTIONS

Spear Point Ornaments are made from malleable iron, and on account of their design make the fence very neat and artistic.

Ball Ornaments are made from heavy grey iron, and while giving the fence a solid and massive appearance, it still retains the proper proportion.

Ornamental Cresting is made from tough malleable iron, and serves as a protection to the fence, as well as an ornament. There is no danger of it being broken when made from this grade of material.

Fittings are all malleable iron, which insures them against breakage.

FINISH

Our Posts and Line Railings are finished in black, while the Post Ornaments and Railing Sleeves can be finished in black, white enamel, or silver bronze, and in the event you fail to specify we will make the ornaments silver bronze. Malleable cresting is finished in black.

TUBULAR STEEL FENCES FOR LAWNS, BOULEVARDS AND CEMETERIES

Are made with our standard specifications of posts and tubing and the same care is observed in its construction as in our other fences. They are fully described as Style "D" and "J" on pages 30 and 31 of this Catalogue. They can be made with the malleable cresting if desired.

When Ordering or Writing



RESIDENCE OF C. G. RAUB, MERIDIAN, CAL.

In ordering Kokomo Ornamental Fence, or when writing for prices, be sure and send us a diagram of the ground you wish to enclose, showing the exact number of feet you desire, also the exact location and size of the gates and if gates wanted are single or double. The proper way is to give the measurement from the corner post or end post as the case may be, to the center of the gate, then state the width of the opening in which you desire the gate to swing, then give measurement from the center of the gate to the next corner or end post as the case may be, and so on until the exact measurements of all the different parts of the fence are given. Always specify the style and height of the fabric, also if you desire Standard or Junior Fence. In writing please state whether you want the spear or ball ornaments, or the malleable cresting, and advise the page on which we illustrate the fence you like best. We are always glad to furnish you estimates on as many different heights and styles as you desire.

NAME AND ADDRESS

Be sure and sign your name and give your post-office address on every letter, so there will be no delay in answering same.

ERECTION OF KOKOMO ORNAMENTAL FENCING

It does not require a mechanic to erect our fence; in fact the main thing is to set the posts in a perfect line, then with the complete instructions we give and the manner in which we mark the different parts before making shipment any one can erect the fence without any difficulty whatever.

GUARANTEE

A guarantee of quality and excellency backed up by a responsible manufacturer is probably the most effective manner of securing the confidence of the people, and we make this statement in regard to our goods, knowing that we are in position to back it up. "We guarantee every foot of our fencing to be just as represented," a strong statement, but we can deliver the goods.

OUR RESPONSIBILITY


We are pleased to refer you to the Citizens National Bank, Howard National Bank, Farmers Trust & Savings Bank, United States, National, American and Adams Express Companies, or Postmaster, all of Kokomo, Indiana or Dun and Bradstreet's Commercial Agencies. In writing to any of our references be sure to enclose stamps for reply.

TERMS


Our terms are cash or 30 per cent, with order, with goods shipped to ourselves, with sight draft and bill of lading sent to your nearest bank for the balance, unless satisfactory arrangements can be made for credit.

REMITTANCES

Make all remittances to Kokomo Fence Machine Co., by New York, Chicago or Cincinnati Draft, Express or Postal Money Orders or Registered letter. Do not send individual checks, unless 25 cents is added for Exchange.



A Typical Southern Home, inclosed with our complete fence, fitted with Style A, 24-in. Fabric.
See pages 22 and 23 for price.



ILLUSTRATING OUR STYLE "A" 36inch FABRIC COMPLETE
FENCE WITH BALL ORNAMENTS


Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.8	\$.55
37½ "	A 30 "	8.3	.58
43½ "	A 36 "	8.7	.61
47½ "	A 40 "	8.9	.64

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.	\$.51
37½ "	A 30 "	7.4	.54
43½ "	A 36 "	7.8	.56
47½ "	A 40 "	8.2	.60

See specifications on page 3—Description of fabric on page 37



ILLUSTRATING OUR STYLE "A" 36 inch FABRIC COMPLETE
FENCE WITH MALLEABLE CRESTING

Standard Fence Complete


Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	A 24 in.	7.8	\$.64
39½ "	A 30 "	8.3	.67
45½ "	A 36 "	8.7	.70
49½ "	A 40 "	8.9	.73

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	A 24 in.	7.	\$.60
39½ "	A 30 "	7.4	.63
45½ "	A 36 "	7.8	.65
49½ "	A 40 "	8.2	.69

See specifications on page 3—Description of fabric on page 37

PAT'D. MAR. 28, 1899.



Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.8	\$.55
37½ "	A 30 "	8.3	.58
43½ "	A 36 "	8.7	.61
47½ "	A 40 "	8.9	.64


Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.	\$.51
37½ "	A 30 "	7.4	.54
43½ "	A 36 "	7.8	.56
47½ "	A 40 "	8.2	.60

Any of our fences can be made to be erected on a stone wall, and we allow deduction of 8c. per foot from list prices when fence is to be erected in this manner, and posts furnished without iron bases



Illustrating Our Complete Fence with Malleable Iron Cresting—Fence Fitted with Style B 30-in. Fabric.
(See page 14 for prices)



**ILLUSTRATING OUR STYLE "B" 30 IN. FABRIC FENCE
COMPLETE**


Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	7.3	\$.51
37½ "	B 30 "	7.8	.55
43½ "	B 36 "	8.1	.59
47½ "	B 40 "	8.4	.61

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	6.5	\$.47
37½ "	B 30 "	6.9	.51
43½ "	B 36 "	7.3	.54
47½ "	B 40 "	7.5	.57

For Malleable Iron Cresting add 9c. per foot to above prices.
See specifications on page 3—Description of fabric on page 37




Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	7.3	\$.51
37½ "	B 30 "	7.8	.55
43½ "	B 36 "	8.1	.59
47½ "	B 40 "	8.4	.61


Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	6.5	\$.47
37½ "	B 30 "	6.9	.51
43½ "	B 36 "	7.3	.54
47½ "	B 40 "	7.5	.57

See specifications on page 3—Description of fabric on page 37



Illustrating our complete fence, with Spear Ornaments, fence fitted with Style C, 36-in. Fabric.
(See page 18 for prices.)



ILLUSTRATING OUR STYLE "C"36 inch FABRIC COMPLETE
FENCE WITH MALLEABLE CRESTING


Standard Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	C 24 in.	7.	\$.59
39½ "	C 30 "	7.5	.62
45½ "	C 36 "	7.9	.64
49½ "	C 40 "	8.2	.67

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	C 24 in.	6.3	\$.55
39½ "	C 30 "	6.7	.57
45½ "	C 36 "	7.	.60
49½ "	C 40 "	7.2	.63

See specifications on page 3—Description of fabric on page 37



ILLUSTRATING OUR STYLE "C" 36 inch FABRIC COMPLETE
FENCE WITH BALL ORNAMENTS


Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	C 24 in.	7.	\$.50
37½ "	C 30 "	7.5	.53
43½ "	C 36 "	7.9	.55
47½ "	C 40 "	8.2	.58


Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	C 24 in.	6.3	\$.46
37½ "	C 30 "	6.7	.48
43½ "	C 36 "	7.	.51
47½ "	C 40 "	7.2	.54

See specifications on page 3—Description of fabric on page 37



Illustrating Our Complete Fence with Ball Ornaments—Fence Fitted with Style E 48-in. Fabric.
(See page 21 for prices.)




Standard Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
51½ in.	E 42 in.	9.7	\$.79
57½ "	E 48 "	10.1	.84

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
51½ in.	E 42 in.	8.8	\$.75
57½ "	E 48 "	9.2	.79

See specifications on page 3—Description of fabric on page 38



ILLUSTRATING OUR STYLE "E 48 IN" FABRIC FENCE COMPLETE

PATD. MARCH 28. 1899


Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
49½ in.	E 42 in.	9.7	\$.70
55½ "	E 48	10.1	.75

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
49½ in.	E 42 in.	8.8	\$.66
55½ "	E 48 "	9.2	.70

See specifications on page 3—Description of fabric on page 38



HEIGHT OF COMPLETE FENCE TO TOP OF BRAIDED WIRE 31 in.

ILLUSTRATING OUR STYLE "A" 24 in. FABRIC, WITH ORNAMENTAL GATE, STEEL POSTS AND RAILING COMPLETE.

Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.8	\$.55
37½ "	A 30 "	8.3	.58
43½ "	A 36 "	8.7	.61
47½ "	A 40 "	8.9	.64

NOTE—If desired, this, as well as all Standard fences, will be furnished with special end, gate and corner posts 2½ inches in diameter Extra charge quoted on application.


See specifications on page 3—Description of fabric on page 37

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.	\$.51
37½ "	A 30 "	7.4	.54
43½ "	A 36 "	7.8	.56
47½ "	A 40 "	8.2	.60



Residence of E. J. Willard, Cornwall, W. Va., inclosed with our complete fence, fitted with Style G, 30-in. Fabric.
(See page 26 for price.)




Standard Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	G 24 in.	7.1	\$.58
39½ "	G 30 "	7.5	.61
45½ "	G 36 "	8.	.64
51½ "	G 42 "	8.4	.69
57½ "	G 48 "	8.7	.73

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	G 24 in.	6.3	\$.54
39½ "	G 30 "	6.7	.56
45½ "	G 36 "	7.1	.60
51½ "	G 42 "	7.5	.64
57½ "	G 48 "	7.8	.69

See specifications on page 3—Description of fabric on page 38



Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	G 24 in.	7.1	\$.49
37½ "	G 30 "	7.5	.52
43½ "	G 36 "	8.	.55
49½ "	G 42 "	8.4	.60
55½ "	G 48 "	8.7	.64


Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	G 24 in.	6.3	\$.45
37½ "	G 30 "	6.7	.47
43½ "	G 36 "	7.1	.51
49½ "	G 42 "	7.5	.55
55½ "	G 48 "	7.8	.60

See specifications on page 3—Descriptions of fabric on page 38



Illustrating Our Complete Fence, Fitted with Style H 36-in. Fabric.
(See page 28 for prices.)



ILLUSTRATING OUR STYLE "H" 36 inch FABRIC COMPLETE
FENCE WITH BALL ORNAMENTS


Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	H 24 in.	6.7	\$.48
37½ "	H 30 "	7.	.51
43½ "	H 36 "	7.5	.54
47½ "	H 40 "	7.8	.57

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	H 24 in.	5.9	\$.44
37½ "	H 30 "	6.2	.46
43½ "	H 36 "	6.6	.50
47½ "	H 40 "	6.8	.53

See specifications on page 3—Description of fabric on page 39



ILLUSTRATING OUR STYLE "H" 36 inch FABRIC COMPLETE
FENCE WITH MALLEABLE CRESTING

Standard Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	H 24 in.	6.7	\$.57
39½ "	H 30 "	7.	.60
45½ "	H 36 "	7.5	.63
49½ "	H 40 "	7.8	.66


Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	H 24 in.	5.9	\$.53
39½ "	H 30 "	6.2	.55
45½ "	H 36 "	6.6	.59
49½ "	H 40 "	6.8	.62

See specifications on page 3—Description of fabric on page 39



Illustrating our Style D, tubular steel fence for lawns, boulevards, cemeteries, etc., made with 1, 2 or 3 rails as desired, height ranging from 24 to 48 inches—
 Price, Style D, 30-in. high, 1 rail, Standard fence with ornaments complete, 52 cents per foot. Weight per foot 5.8 lbs.
 Price, Style D, 36-in. high, 2 rail, Standard fence with ornaments complete, 62 cents per foot. Weight per foot 8.8 lbs.
 Price, Style D, 48-in. high, 3 rail, Standard fence with ornaments complete, 69 cents per foot. Weight per foot 10.5 lbs.
 For Malleable Cresting for the above fence add 9c per foot to list prices.




STYLE J—CEMETERY AND LAWN FENCE. Answers in every respect to the description of our Boulevard fences, except in finish and ornamentation; the railing and posts are furnished in black, chain and ornaments in white enamel or silver bronze.

Price 1 rail and chain, with white enameled or silver bronzed ornaments, \$.67 per foot.	Weight per foot, 7. lbs.
Price 2 rail and chain, with white enameled or silver bronzed ornaments, .76 per foot.	Weight per foot, 9.2 lbs.
Price 3 rail and chain, with white enameled or silver bronzed ornaments, .84 per foot.	Weight per foot, 12.3 lbs.

For Malleable Cresting for the above fence, add 9c. per foot to list prices.

Aluminum name plate \$2.00 net extra.



Weight complete about 700 lbs.

STANDARD ORNAMENTAL ARCH FOR PARK AND CEMETERY FENCE


See description and price on page 39




OUR KOKOMO ARCH FOR WALKS, GATES, DRIVEWAYS, ETC. There being a demand for a less elaborate and cheaper arch than our Standard Cemetery and Park Arch, we designed the Kokomo, that this demand might be supplied with a good strong and handsome arch at a reasonable price.

Weight complete about 500 lbs.

See description and price on page 39.



Illustrating our Ornamental Fence complete, Style A, 30-in. Fabric with Ornamental Gate, inclosing cemetery lot.
(See pages 22 and 23 for price.)





Width	Weight Per Gate Pounds	Price Plain Gates	Price Ornamental Gates
8 ft.	77.	\$ 8.34	\$ 9.17
10 "	88.	9.17	10.00
12 "	98.5	10.42	11.25
14 "	111.	11.25	12.09

THE KOKOMO FARM GATE

There being a large demand for a lighter and less expensive gate, we are offering the Kokomo Gate as illustrated. This gate is made from steel tubing $1\frac{3}{8}$ inches outside diameter and is diagonally braced by a rod $\frac{5}{8}$ in. in diameter, also has a one inch pipe, perpendicular brace in the center, which materially adds to the strength of the frame, which is filled with Style 6 Farm Fence, making the strongest and best Farm Gate on the market at the price. This gate made only in the following heights: 36, 42, 48, 54 and 60 inch, 54 inches being standard.

Weight	Weight Per Gate	Price
10-ft.	67.5 lbs.	\$6.02
11-ft.	72.8 "	6.31
12-ft.	78.1 "	6.58
13-ft.	83.4 "	6.86
14-ft.	88.7 "	7.13



ORNAMENTAL FARM GATE


(Patented May 30, 1899.)

Made from steel tubing $1\frac{3}{8}$ inches in diameter $3\frac{1}{2}$ to 4 $\frac{1}{2}$ feet high, with hinges, fitted with Style G fabric.

Width	Weight Per Gate	Price Plain Gate	Price Ornamental Gate
10-ft.	77.5 lbs.	\$8.34	\$ 8.94
11-ft.	82.2 "	9.17	9.77
12-ft.	86.9 "	10.00	10.60

Notice the thorough way in which these gates are braced.

STYLE A FABRIC




SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.
Cables—Two No. 12 Wires Twisted.
Standard roll contains 300 feet but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	2	\$.20
30	5	2.02	.22
36	5	2.5	.24
40	5	2.7	.26

STYLE B FABRIC




SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.
Cables—Two No. 12 Wires Twisted.
Standard Roll contains 300 feet, but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	1.5	\$.16
30	5	1.7	.18
36	5	1.9	.20
40	5	2.04	.22

STYLE C FABRIC




SPECIFICATIONS

Pickets—Two No. 13 Wires Twisted.
Cables—Two No. 12½ Wires Twisted.
Standard Roll contains 300 feet, but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	1.2	\$.11
30	5	1.5	.13
36	5	1.62	.15
40	5	1.8	.17

STYLE E FABRIC




SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.
Cables—Two No. 12 Wires Twisted.
Standard Roll contains 300 feet, but can
furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
42	6	3.2	\$.27
48	6	3.5	.30

STYLE F FABRIC




SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.]
Cables—Two No. 12 Wires Twisted
Standard roll contains 300 feet but can
furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
42	6	2.3	\$.25
48	6	3.	.28

STYLE G FABRIC




SPECIFICATIONS

Pickets—One No. 9 Wire Single.
Cables—Two No. 12½ Wires Twisted.
Standard Roll contains 300 feet, but can
furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	1.2	\$.10
30	4	1.5	.12
36	5	1.7	.14
42	5	2.	.18
48	6	2.08	.20

STYLE H FABRIC



SPECIFICATIONS

Pickets—Two No. 13 Wires Twisted.
Cables—Two No. 12½ Wires Twisted.
Standard roll contains 300 feet but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	.808	\$.09
30	5	1.	.11
36	5	1.2	.13
40	5	1.35	.15

ARCHES

The posts in our arches are made from double strength steel tubing, 1¼" in diameter, but we can furnish same 2½" if desired. The posts are fitted with a special set base the same as shown on page 40. This base sets in the ground to sufficient depth so that the arches are very solid and perfect in alignment. We also furnish two iron braces which connect to the arch at the top and then to a plate buried in the ground back of the arch. The scroll work is of heavy wrought iron. The lettering is made from galvanized iron and silver bronzed. The arches stand 12 feet high in the clear (from the ground to the bottom on the inscription.)

PRICES

Including Ornamental Gates and Inscription

KOKOMO ARCH


(Page 33)

4 Ft. Wide	\$23.84
6 " "	29.17
8 " "	36.67
10 " "	47.50
12 " "	54.16
14 " "	60.84
2½" Pipe for Posts extra	4.63

STANDARD ARCH

(Page 32)


8 Ft. Wide	\$74.53
10 " "	77.78
12 " "	81.67
14 " "	86.85
2½" Pipe for Posts extra	9.26
Extra for each 4 ft. side arch with gate	18.05
2½" Pipe for Posts for each side arch, extra	1.85



OUR HITCHING POST

Our Hitching Post is made from steel tubing $2\frac{1}{2}$ inches in diameter and is fitted with an anchor that is used in our extra heavy ornamental post. The top is a large handsome ball with an opening in the upper end through which a disappearing chain, same as shown in cut, is placed. This is the most convenient hitching rack yet devised. The chain is not broken or torn off as is usually the case, but is always at hand when wanted.


Price, \$2.80




OUR SPECIAL SET POST


Can be furnished with any of our fences when preferred. An additional charge of 20 cents net for each post will be made.

NOTE—If wanted always specify special set post.






Illustrates our double crimped wire window screen, with round iron frame.



Illustrates our double crimped wire window screen, with channel iron frame.



A section showing the construction of our double crimped wire window screen, with channel iron frame.

Write us, giving dimensions of your windows or openings you wish to enclose and we will be glad to give you full information with lowest prices.

PRICE LIST

(In Effect Feb. 15th, 1910.)

STANDARD FENCE COMPLETE

SPECIFICATIONS

Corner Posts $1\frac{3}{4}$ " Steel Tubing
End Posts $1\frac{3}{4}$ " " "
Gate Posts $1\frac{3}{4}$ " " "
Line Posts $1\frac{3}{4}$ " " "
Line Railing $1\frac{3}{8}$ " " "

Height to Top of Braided Wire	Fitted with Fabric Style	Weight Per Foot Pounds	List Price Per Foot
31 $\frac{1}{2}$ -in.	A 24-in.	7.8	\$.55
37 $\frac{1}{2}$ -in.	A 30-in.	8.3	.58
43 $\frac{1}{2}$ -in.	A 36-in.	8.7	.61
47 $\frac{1}{2}$ -in.	A 40-in.	8.9	.64
31 $\frac{1}{2}$ -in.	B 24-in.	7.3	.51
37 $\frac{1}{2}$ -in.	B 30-in.	7.8	.55
43 $\frac{1}{2}$ -in.	B 36-in.	8.1	.59
47 $\frac{1}{2}$ -in.	B 40-in.	8.4	.61
31 $\frac{1}{2}$ -in.	C 24-in.	7.	.50
37 $\frac{1}{2}$ -in.	C 30-in.	7.5	.53
43 $\frac{1}{2}$ -in.	C 36-in.	7.9	.55
47 $\frac{1}{2}$ -in.	C 40-in.	8.2	.58
49 $\frac{1}{2}$ -in.	E 42-in.	9.7	.70
55 $\frac{1}{2}$ -in.	E 48-in.	10.1	.75
49 $\frac{1}{2}$ -in.	F 42-in.	8.8	.67
55 $\frac{1}{2}$ -in.	F 48-in.	9.7	.72
31 $\frac{1}{2}$ -in.	G 24-in.	7.1	.49
37 $\frac{1}{2}$ -in.	G 30-in.	7.5	.52
43 $\frac{1}{2}$ -in.	G 36-in.	8.	.55
49 $\frac{1}{2}$ -in.	G 42-in.	8.4	.60
55 $\frac{1}{2}$ -in.	G 48-in.	8.7	.64
31 $\frac{1}{2}$ -in.	H 24-in.	6.7	.48
37 $\frac{1}{2}$ -in.	H 30-in.	7.	.51
43 $\frac{1}{2}$ -in.	H 36-in.	7.5	.54
47 $\frac{1}{2}$ -in.	* H 40-in.	7.8	.57

(Cancelling all previous lists.)

JUNIOR FENCE COMPLETE

SPECIFICATIONS

Corner Posts $1\frac{3}{4}$ " Steel Tubing
End Posts $1\frac{3}{4}$ " " "
Gate Posts $1\frac{3}{4}$ " " "
Line Posts $1\frac{3}{4}$ " " "
Line Railing $1\frac{3}{8}$ " " "

Height to Top of Braided Wire	Fitted with Fabric Style	Weight Per Foot Pounds	List Price Per Foot
31 $\frac{1}{2}$ -in.	A 24-in.	7.	\$.51
37 $\frac{1}{2}$ -in.	A 30-in.	7.4	.54
43 $\frac{1}{2}$ -in.	A 36-in.	7.8	.56
47 $\frac{1}{2}$ -in.	A 40-in.	8.2	.60
31 $\frac{1}{2}$ -in.	B 24-in.	6.5	.47
37 $\frac{1}{2}$ -in.	B 30-in.	6.9	.51
43 $\frac{1}{2}$ -in.	B 36-in.	7.3	.54
47 $\frac{1}{2}$ -in.	B 40-in.	7.5	.57
31 $\frac{1}{2}$ -in.	C 24 in.	6.3	.46
37 $\frac{1}{2}$ -in.	C 30-in.	6.7	.48
43 $\frac{1}{2}$ -in.	C 36-in.	7.	.51
47 $\frac{1}{2}$ -in.	C 40-in.	7.2	.54
49 $\frac{1}{2}$ -in.	E 42-in.	8.8	.66
55 $\frac{1}{2}$ -in.	E 48-in.	9.2	.70
49 $\frac{1}{2}$ -in.	F 42-in.	7.9	.63
55 $\frac{1}{2}$ -in.	F 48-in.	8.7	.67
31 $\frac{1}{2}$ -in.	G 24-in.	6.3	.45
37 $\frac{1}{2}$ -in.	G 30-in.	6.7	.47
43 $\frac{1}{2}$ -in.	G 36-in.	7.1	.51
49 $\frac{1}{2}$ -in.	G 42-in.	7.5	.55
55 $\frac{1}{2}$ -in.	G 48-in.	7.8	.60
31 $\frac{1}{2}$ -in.	H 24-in.	5.9	.44
37 $\frac{1}{2}$ -in.	H 30-in.	6.2	.46
43 $\frac{1}{2}$ -in.	H 36-in.	6.6	.50
47 $\frac{1}{2}$ -in.	H 40-in.	6.8	.53

Add 9c per ft. to any of the above prices for Malleable Cresting. Deduct 8c per ft. from any of the above prices for fence to set on wall.

Style D Tubular Fence

SPECIFICATIONS

Corner Posts	1 1/8"	Steel Tubing
End Posts	1 1/8"	" "
Gate Posts	1 1/8"	" "
Line Posts	1 1/8"	" "
Line Rails	1 1/8"	" "

Height in Inches	No. of Rails	Wgt. per Foot Lbs.	Price per Foot
30	1	5.8	\$.52
36	2	8.8	.62
48	3	10.5	.69

Style J Cemetery and Lawn Fence

SPECIFICATIONS

Corner Posts	1 1/8"	Steel Tubing
End Posts	1 1/8"	" "
Gate Posts	1 1/8"	" "
Line Posts	1 1/8"	" "
Line Railing	1 1/8"	" "

Height to Top of Braided Wire	No. of Rails	Weight Per Foot Lbs.	Price per Foot
30"	1	7.	\$.67
36"	2	9.2	.76
48"	3	12.3	.84

List Price of Fabrics

SPECIFICATIONS

Styles A, B, E and F

Pickets—2 No. 11 Wires twisted.
Cables—2 No. 12 Wires twisted.

Styles C and H

Pickets—2 No. 13 Wires twisted
Cables—2 No. 12 1/2 Wires twisted.

Style G

Pickets—1 No. 9 Wire single.
Cables—2 No. 12 Wires twisted.

List Price of Fabrics (Continued)

Style	Height in Inches	Wgt. per Ft. Lbs.	Price per Foot
Style A	24-in.	2.	\$.20
Style A	30-in.	2.02	.22
Style A	36-in.	2.5	.24
Style A	40-in.	2.7	.26
Style B	24-in.	1.5	.16
Style B	30-in.	1.7	.18
Style B	36-in.	1.9	.20
Style B	40-in.	2.04	.22
Style C	24-in.	1.2	.11
Style C	30-in.	1.5	.13
Style C	36-in.	1.62	.15
Style C	40-in.	1.8	.17
Style E	42-in.	3.2	.27
Style E	48-in.	3.5	.30
Style F	42-in.	2.3	.25
Style F	48-in.	3.	.28
Style G	24-in.	1.2	.10
Style G	30-in.	1.5	.12
Style G	36-in.	1.7	.14
Style G	42-in.	2.	.18
Style G	48-in.	2.08	.20
Style H	24-in.	.81	.09
Style H	30-in.	1.	.11
Style H	36-in.	1.2	.13
Style H	40-in.	1.35	.15

Price List of Single Gates

Width	Weight per Gate Lbs.	Price Plain Gates	Price Ornam'tl Gates
2 1/2 ft.	28.5	\$3.50	\$3.84
3 ft.	31.3	3.80	4.13
3 1/2 ft.	33.	3.92	4.25
4 ft.	35.8	4.36	4.59
4 1/2 ft.	38.5	4.55	4.92
5 ft.	41.3	4.84	5.25

Price List of Single Gates (Continued)

5 1/2 ft.	43.8	\$5.17	\$5.67
6 ft.	46.5	5.34	5.92
6 1/2 ft.	48.8	5.84	6.34
8 ft.	56.5	6.34	6.67
10 ft.	67.	6.50	7.84
12 ft.	77.5	7.71	8.34

Price List of Double Gates

Width	Weight per Gate Lbs.	Price Plain Gates	Price Ornam'tl Gates
8 ft.	77	\$ 8.34	\$ 9.17
10 ft.	88	9.17	10.00
12 ft.	98.5	10.42	11.25
14 ft.	111.	11.25	12.09

Posts and Other Supplies

1 1/4-in. Gate, Corner, End and Line Posts, including ornaments and other fittings for 24-, 30- and 36-inch fabric, each.....\$1.59

1 1/4-in. Gate, Corner, End and Line Posts, including ornaments and other fittings for 40-, 42- and 48-inch fabric, each.....1.80

1 1/8-in. Line Posts for Junior Fence, including ornaments and other fittings for 24-, 30- and 36-inch fabrics, each.....1.25

1 1/8-in. Line Posts for Junior Fence, including ornaments and other fittings for 40-, 42- and 48-inch fabric, each.....1.43

1 1/4-in. Line Rail for Standard Fence, including sleeve ornaments, per foot......13

1 1/4-in. Line Rail for Junior Fence, including sleeve ornaments, per foot......10

Braided Wire, per foot......02 1/2

Hitching Posts, each.....2.80

All prices herein F. O. B., Kokomo, Ind.

GENERAL INFORMATION

Every piece of material used is new, and the best that money can buy.

Posts are spaced seven feet apart.

Read description of posts on page 5.

Fabric can only be made in heights shown on pages 37, 38 and 39.

Any of our fences can be made to be erected on brick, stone or cement wall. For fence to be erected in this manner, we leave off the iron base, and cut the steel tubing in the posts so they can be set in the wall ten inches, and then made secure by using cement or lead. We make a special deduction for this style of fence. See page 12.

We make our own special double galvanized wire, which is used in the manufacture of our fabrics, and we know it will give satisfaction.

Note specifications of Standard and Junior fences on page 3, and see full descriptions of our different styles of fabrics on pages 37, 38 and 39. Also description of ornaments and fittings on page 6.

All measurements given are outside diameter.

The complete fence, with braided wire, is $7\frac{1}{2}$ inches higher than the fabric with which it is filled, and the complete fencing with malleable iron resting is $9\frac{1}{2}$ inches higher than the fabric with which it is filled.


The fabric and line rail will be cut to fit each section.

We send complete directions for erecting our fence.

When writing for prices, always send measurements, as requested on page 7.


If everything is not clear to you, do not hesitate to write us for we are glad to give any information desired.

Kokomo Fence Machine Co.



NORTH PLANT.

Manufacturers of
Ornamental Fence,
Ornamental and Farm Gates,
Wire Screening,
Window Guards and
Wire Specialties.



SOUTH PLANT.

Kokomo, Ind.

TO THE TRADE:-

DISCOUNTS ON ORNAMENTAL FENCE.

We desire to quote you the following discounts to apply on our ornamental fence--list dated February 15th., 1910.

Complete fence or fabric, orders of 50 feet or more---46%;
Complete fence or fabric, orders of less than 50 feet-40%;
All gates, arches, posts and other supplies-----46%;
2½" corner, end or gate posts for STANDARD fence only-75¢;
each net extra.

The above discounts are F.O.B. Kokomo, Indiana.

We figure the cost of complete fence as follows. If your order is for 100 feet of fence including one 3 foot gate, we charge for 97 feet of fence at list price less above discount, then charge for the 3 foot gate at list price less the above discount.

Yours very truly,

KOKOMO FENCE MACHINE CO.

Standard Fence Machine Co.

Standard Fence Machine Co.
1000 North Main Street
Chicago, Illinois
Telephone 1-1000

TO THE TRADER

DISCOUNTS ON ORNAMENTED FENCE

We desire to quote you the following discounts to apply on our ornamental fence—list dated February 15th., 1910.

- Complete fence on level, 50 feet or more—45%;
- Complete fence on level, 25 feet or more—40%;
- Complete fence on level, 10 feet or more—35%;
- All gates, arches, posts and other accessories—10%;
- 2" corner, and on gate extra—STANDARD fence only—75%;
- each net extra.
- The above discounts are T.O.B. Chicago, Indiana.


We figure the actual complete fence as follows. If your order is for 100 feet of fence including one 8 foot gate, we charge for 92 feet of fence at that price less above discount, then charge for 8 foot gate at list price less the above discount.

Yours very truly,

KOKOMO FENCE MACHINE CO.


CHECK BOOK

Kokomo Fence Machine Co.



NORTH PLANT.

Manufacturers of
Ornamental Fence,
Ornamental and Farm Gates,
Wire Screening,
Window Guards and
Wire Specialties.



SOUTH PLANT.

Kokomo, Ind.

Would you like to add an additional
\$1000.00 to your annual income?

There are lots of people in your territory who are needing ornamental yard fence, and who would buy if their attention was called to same, and there is no reason in the world why you should not sell them. Put the proposition up to some of your good customers, and you will be surprised at the number who are interested. In some localities this line is not pushed by any dealer, and you know that the first man on the ground, is the one to reap the harvest.

In case you are not in position to push this line, then send us a list of your customers, who might buy fence. We will write them and explain the merits of KOKOMO ORNAMENTAL FENCE, and if they are ready to buy, we will then advise you.

Kindly advise if you wish a supply of ornamental fence catalogues for distribution, or an electrotypes for newspaper advertising.

We are enclosing our latest catalogue and dealers discount sheet.

Yours very truly,

KOKOMO FENCE MACHINE CO.

Would you like to add an additional \$1000.00 to your annual income?

There are lots of people in your territory who are needing ornamental vases, lamps, and who would pay if their attention was called to same, and there is no reason in the world why you should not sell them. Put the proposition up to some of your good customers, and you will be surprised at the number who are interested. In some localities this line is not pushed by any dealer, and you know that the first man on the ground, is the one to reap the harvest.

In case you are not in position to push this line, then send us a list of your customers, who might be tempted. We will write them and explain the merits of KOKOMO ORNAMENTAL WARE, and if they are ready to buy, we will then advise you.

Write us if you wish a sample of ornamental ware, or for literature, or an advertisement for newspaper advertising.

We are enclosing our latest catalogue and dealers discount sheet.

Yours very truly,

KOKOMO TONOR MACHINE CO.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:
Gerron S. Hite

West Texas Collection, Angelo State University, San Angelo, TX

LIBRARY
HERITAGE
TECHNOLOGY
BUILDING

From the collection of:
Gerron S. Hite

